



State of Ohio Environmental Protection Agency

## Southwest District Office

401 East Fifth Street  
Dayton, OH 45402-2911

TELE: (937) 285-6357 FAX: (937) 285-6249

George V. Voinovich, Governor  
Nancy P. Hollister, Lt. Governor  
Donald R. Schregardus, Director

June 18, 1997

RE: DOE FEMP  
CONCURRENCE: R&C OSDF  
STORM WATER MANAGEMENT

Mr. Johnny Reising  
U.S. Department of Energy, Fernald Area Office  
P.O. Box 538705  
Cincinnati, OH 45253-8705

Dear Mr. Reising:

This letter provides approval of the Responses to Comments Clarifications package (DOE-0905-97). The Ohio EPA agrees that this package addresses the outstanding storm water management issues for the On-Site Disposal Facility.

If you have any questions, please contact Tom Ontko or me.

Sincerely,

*for* *Tom Ontko*  
Thomas A. Schneider  
Fernald Project Manager  
Office of Federal Facilities Oversight

cc: Jim Saric, U.S. EPA  
Terry Hagen, FDF  
Ruth Vandergrift, ODH  
Mike Proffitt, DD&GW  
Bob Geiger, PRC  
Manager, TPSS/DERR, CO  
Dave Ward, HSI GeoTrans

OSDFWATE.APP

*(jalovec(j))*  
*partial*  
*action response*  
*to DOE-0905-97*  
*(10471)*

FERNALD  
LOG K-1826  
JUN 19 9 35 AM '97  
FILE 6446.3